

ExPG




AUTHORIZED AGENT IN MALAYSIA


ExPG Engineering Sdn Bhd
Co. Reg. No: 641967-D

Level 2-18 Plaza Seri Setia
No. 1 Jalan SS9/2, Seri Setia
47300 Petaling Jaya
Selangor Darul Ehsan, Malaysia

Tel. (603) 78745212
Fax.(603) 78745028
Email: mailbox@expg.com.my
www.expg.com.my

Product range.





Diversity of form
and function.

Your pressure is our business.

We know our business.

Chemical and petrochemical industries, coal and steel industry, and nuclear power station and plant construction: When it comes to valves, both national and international industrial and utilities companies rely on Schwietzke.

There are good reasons for this: decades of experience, comprehensive expertise, the best knowledge of the industry, excellent consulting competence and a distinct service philosophy. With these strengths we continue to offer our customers optimal service and support.

Wide Ranging Competence.

Finding successful solutions requires competence knowledge of the entire spectrum of possibilities. This is the standard we aim for: to provide the highest flexibility in processing our projects, a warehouse that reflects the market of today and tomorrow, worldwide delivery, complete documentation according to your requirement, independent planning and development with our Engineering Team.

On the following pages you will find an extract of our product range.

For further information please visit our web-site
www.schwietzke.de.

Materials: Brass / Bronze, Cast iron, Steel, Stainless Steel and Plastic.

DN 15 - 2000, G 1/4 - G 4
PN 6 - 640,
ANSI class 150 - 4500

Actuator: manual, pneumatic or electric.

Gate Valves



Globe Valves

Shut-off-, Regulation-, Diaphragm-, Vent- and Drainvalves.

Materials: Brass / Bronze, Cast iron, Steel, Stainless Steel and Plastic.

DN 15 - 400,
G 1/4 - G 3, PN 6 - 640,
ANSI class 150 - 4500

Actuator: manual, pneumatic.

Ball and Cock Valves.

Materials: Brass / Bronze, Cast Iron, Steel, Stainless Steel and Plastic.

DN 15 - 1000,
G 1/4 - G 4, PN 6 - 500,
ANSI class 150 - 2500

Actuator: manual, pneumatic or electric.

Ball Valves



Butterfly Valves

Shut-off, Butterfly valves,
centric, double and triple eccentric.

Materials: Cast Iron, Steel,
Stainless Steel and Plastic.

DN 20 - 3000 PN 6 - 160,
ANSI class 150 - 1500

Actuator: manual, pneumatic,
hydraulic or electric.

Pressure reducing valves, Temperature controller, Globe, Check and Knife Gate valves.

Materials: Brass / Bronze, Cast Iron, Steel, Stainless Steel.

DN 15 - 400, G 1/4 - 2
PN 6 - 640,
ANSI class 150 - 2500

Control Valves



Steam Traps

Thermostatic and thermodynamic steam traps, Ball float traps, Plunger valves, Flow through sight glasses.

Materials: Cast Iron, Steel, Stainless Steel.

DN 15 - 150, G 1/4 - 2
PN 6 - 640,
ANSI class 150 - 4500

Y-type, T-type, Basket- and
Conical type strainers.

Materials: Brass / Bronze, Cast Iron,
Steel, Stainless Steel, Plastic.

DN 15 - 1200, G 3/8 - 2
PN 6 - 400,
ANSI class 150 - 2500

Strainers



Solenoid Valves

Materials: Brass / Bronze, Cast Iron,
Steel, Stainless Steel

Connections: flange and threaded ends.

DN 15 - 250, G 1/4 - G 3

Pressure: max. 0 - 320 bar

Flange connector: PN 6 - 160

Materials: Rubber, Fabric, PTFE, Stainless Steel.

Connectors: Flange, threaded and welding ends.

Movement capacity: Lateral, angular, axial.

DN 15 - 6000
PN 1 -100

Expansion Joints




Pipe Fittings

Flanges,
Screws,
Seals,
Fittings,
Elbow pipes

Security valves,
Pressure reducer,
Temperature control valve,
Overflow valve,
Flow controller valve,
Bottom drain valves,
Flow monitor

Safety Valves



Firefighting Fittings

Stand post hydrants,
Underground hydrants,
hydrant valves,
hydrant couplings,
standpipes,
hydrant locks,
branch pipes

Single, double, water, back flushing and automatic filters.

Materials: Brass / Bronze, Cast Iron, Steel, Stainless Steel, Plastic.

DN 15 - 1000, G 3/8 - 2
PN 6 - 500

Filters




Actuators

Single-action and double-action actuators, electrical multiturn and partturn actuators.

Pressure gauge,
Thermometer, Flow controller.

Fittings: Pressure gauge Shut-off valves,
Push button shut-off valves, Siphons,
Pressure reducers, Seals, Connectors,
Immersion pockets

Measuring Instruments



Special Solutions

Tailored, customer-oriented fitting developments:
E.g. gates DN1200 for use in vacuum,
special metering and control valve for regulating
argon and nitrogen, safety bellow-seal valve,
complete control stations incl. engineering,
installation and commissioning, and much more

Headquarters Bottrop
Weusterstraße 13
46240 Bottrop-Boy

Tel.: +49 2041 7477 0
Fax: +49 2041 7477 89
marketing@schwietzke.de

Cologne Branch
Mathias-Brüggen-Straße 1
50827 Köln

Tel.: +49 221 9566 58 0
Fax: +49 221 9566 58 6
www.schwietzke.de